Send to an associate





### APC Back-UPS RS 1500VA

## ▶ Product Information

- 1,500VA
- 865W battery backup
- 8-outlets with APC PowerChute Personal Edition



### Shop by brand:



▶ **Product Detail** ▶ Accessories → Similar Products

# PRODUCT DETAIL

### **High Performance Power Protection for Business Computers**

Features:

Audible Alarms

Automatic Self Test

Automatic Shutdown

Automatic Voltage Regulation (AVR)

Building wiring fault indicator

Cold-start

Easy Overload Recovery

Hot Swap Batteries

Intelligent Battery Management

Internet FAX - modem - DSL surge protection

Lightning and Surge Protection

Overload Indicator

PC and Mac Compatible

Replace Batt Indicator

Resettable circuit breaker

Status Indicator LED's

Transformer Block Spacing

Unattended Safe & Graceful Shutdown

**USB** Connectivity

User Replaceable batteries

#### Includes:

CD with software

Free trial of anti-virus: firewall: email privacy: system recovery and

online backup software

User Manual USB cable

# **SPECIFICATIONS**

Battery	
Average Run Time	3.7 Min
Enclosure Type	Plug-in module
Load Type	At full load
Recharge Time	8 Hour(s)
Technology	Lead acid
Туре	UPS battery

Cable		
Connectivity Details Form Factor	External	
Connectivity Details Included Qty	1	
Connectivity Details Length	6 Ft	
Connectivity Details Type	Power cable	
Connectivity Details Form Factor	External	
Connectivity Details Included Qty	1	
Connectivity Details Type	USB cable	

Dataline Surge Protection	
Connector Type	RJ-11
Туре	Phone line
Connector Type	RJ-45
Туре	Ethernet 10/100Base-TX

Dimensions		
Depth	13.1 In	
Height	14.6 In	
Weight	25.1 Lbs	
Width	3.4 In	

<b>Environmental Para</b>	Environmental Parameters	
Humidity Range Operating	0 - 95%	
Humidity Range Storage	0 - 95%	
Max Altitude Operating	9840 Ft	
Max Operating Temperature	104 °F	
Max Storage Temperature	113 °F	
Min Operating Temperature	32 °F	
Min Storage Temperature	23 °F	

leader	

Compatibility	
Manufacturer	APC
Model	1500VA
Packaged Quantity	1
Product Line	APC Back-UPS RS

Interface Provided	
Connector Type	4 pin USB Type A
Interface	USB
Qty	1
Туре	Management

Miscellaneous	
Color	Beige
Compliant Standards	CUL, FCC Class B certified, UL, UL 1449, UL 1778
Features	Audible alarm

Networking	
Туре	None

Power Device	
Form Factor (AG)	External

Power Output Connectors Details	
Connector Qty	6
Connector Type	Power NEMA 5-15
Protection Type	UPS and surge
Connector Qty	2
Connector Type	Power NEMA 5-15
Protection Type	Surge

Power Supply	
Device Circuit Protection	Circuit breaker
Device Energy Rating	420 Joules
Device Frequency Required	47 - 63 Hz
Device Input Connector Qty	1
Device Input Connector Type	Power NEMA 5-15
Device Input Voltage Range	AC 88 - 148 V
Device Input Voltage Range (Adjustable)	AC 78 - 152 V
Device Load Rating	Small workgroup server
Device Output Connector Qty	8
Device Output Connector Type	Power NEMA 5-15
Device Power Provided	1500 VA
Device Supported Battery Technology	Lead acid
Device Surge	0 Ns

Response Time	
Device Surge Suppression	Standard
Device Type	UPS
Device UPS Output Waveform	Stepped approximation to a sinewave
Device Voltage Provided	AC 120 V
Device Voltage Required	AC 120 V

Service	
Support Type	2 years warranty
Support Details Full Contract Period	2 years
Support Details Service Included	Parts and labor
Support Details Type	Limited warranty
Support Details Full Contract Period	2 years
Support Details Service Included	Replacement
Support Details Type	Limited warranty

Slot Required	
Туре	None

Software	
Туре	APC PowerChute Personal Edition

▲ BACK TO TOP